

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 25, 2018

Revision: October 25, 2018

1 Identification

· **Product identifier**

· **Trade name:** New Car
 · **Product code:** FR9576

· **Recommended use and restriction on use**

· **Recommended use:** Fragrance
 · **Restrictions on use:** No relevant information available.

· **Details of the supplier of the Safety Data Sheet**

· **Manufacturer/Supplier:**
 FRSH SCENTS LIMITED
 RM603, 6/F HANG PONT, COMMERCIAL BUILDING
 31 TONKIN STREET, CHEUNG SHA WAN, KL
 HONG KONG
 TEL +86-769-882 88882

· **Emergency telephone number:**

ChemTel Inc.
 (800)255-3924 (North America)
 +1 (813)248-0585 (International)

2 Hazard(s) identification

· **Classification of the substance or mixture**

Flam. Liq. 3 H226 Flammable liquid and vapor.
 Skin Irrit. 2 H315 Causes skin irritation.
 Eye Irrit. 2A H319 Causes serious eye irritation.
 Skin Sens. 1 H317 May cause an allergic skin reaction.
 Repr. 1A H360 May damage fertility or the unborn child.
 Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· **Label elements**

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



GHS02 GHS07 GHS08

· **Signal word:** Danger

· **Hazard statements:**

H226 Flammable liquid and vapor.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.
 H360 May damage fertility or the unborn child.
 H304 May be fatal if swallowed and enters airways.

· **Precautionary statements:**

P102 Keep out of reach of children.

(Cont'd. on page 2)



Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 25, 2018

Revision: October 25, 2018

Trade name: New Car

(Cont'd. of page 1)

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P261 Avoid breathing mist, vapors, or spray.
- P264 Wash thoroughly after handling.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves and eye protection.
- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P331 Do NOT induce vomiting.
- P302+P352 If on skin: Wash with plenty of soap and water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Components:

68551-20-2	Alkanes, C13-16-iso- ⚠ Asp. Tox. 1, H304	60-80%
101-86-0	alpha-Hexylcinnamaldehyde ⚠ Skin Irrit. 2, H315; Skin Sens. 1B, H317	10-20%
1506-02-1	1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid) ⚠ Acute Tox. 4, H302 Eye Irrit. 2B, H320	10-20%
97-53-0	Eugenol ⚠ Eye Irrit. 2A, H319; Skin Sens. 1B, H317	1-10%
80-54-6	p-t-Butyl-alpha-methylhydrocinnamic aldehyde ⚠ Repr. 1A, H360 ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1B, H317 Flam. Liq. 4, H227	1-10%
140-11-4	Benzyl acetate	1-10%
32210-23-4	4-tert-butylcyclohexyl acetate ⚠ Skin Sens. 1B, H317	1-10%
78-70-6	Linalool ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1B, H317 Flam. Liq. 4, H227	1-10%
88-41-5	2-tert-butylcyclohexyl acetate Flam. Liq. 4, H227	1-10%

(Cont'd. on page 3)

**Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 25, 2018

Revision: October 25, 2018

Trade name: New Car

(Cont'd. of page 2)

118-58-1	Benzyl salicylate ⚠ Eye Irrit. 2A, H319; Skin Sens. 1B, H317	0.1-1%
5989-27-5	(R)-p-mentha-1,8-diene ⚠ Flam. Liq. 3, H226 ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	0.1-1%
91-64-5	Coumarin ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 ⚠ Skin Sens. 1, H317	0.1-1%
127-51-5	alpha-iso-Methylionone Eye Irrit. 2B, H320	0.1-1%
100-51-6	Benzyl alcohol ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2A, H319	0.1-1%
31906-04-4	3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde ⚠ Skin Sens. 1A, H317	0.1-1%
106-24-1	Geraniol ⚠ Eye Dam. 1, H318 ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	0.1-1%

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.
For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures**Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.
Take affected persons out into the fresh air.

After inhalation:

Supply fresh air.
Provide oxygen treatment if affected person has difficulty breathing.
If experiencing respiratory symptoms: Call a doctor.
In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.
If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
A person vomiting while lying on their back should be turned onto their side.

Most important symptoms and effects, both acute and delayed:

Breathing difficulty
Coughing
Allergic reactions
Irritant to skin and mucous membranes.

(Cont'd. on page 4)



Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 25, 2018

Revision: October 25, 2018

Trade name: New Car

(Cont'd. of page 3)

Causes eye irritation.
Gastric or intestinal disorders when ingested.

Danger:

Danger of pulmonary edema.
Danger of impaired breathing.
May be fatal if swallowed and enters airways.
Suspected of causing cancer.
May damage fertility or the unborn child.
Suspected of causing cancer.

Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs.
Medical supervision for at least 48 hours.
If necessary oxygen respiration treatment.
Later observation for pneumonia and pulmonary edema.
Treat skin and mucous membrane with antihistamine and corticoid preparations.
Contains Geraniol, alpha-Hexylcinnamaldehyde, Eugenol, Coumarin, p-t-Butyl-alpha-methylhydrocinnamic aldehyde, 3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde, Benzyl salicylate, (R)-p-mentha-1,8-diene, 4-tert-butylcyclohexyl acetate. May produce an allergic reaction.
If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

Extinguishing media**Suitable extinguishing agents:**

Foam
Gaseous extinguishing agents
Carbon dioxide
Fire-extinguishing powder
Water fog / haze

For safety reasons unsuitable extinguishing agents: Water stream.

Special hazards arising from the substance or mixture

Combustible liquid.
Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters**Protective equipment:**

Wear self-contained respiratory protective device.
Wear fully protective suit.

Additional information:

Use large quantities of foam as it is partially destroyed by the product.
Cool endangered containers with water fog.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation.
Keep away from ignition sources.

(Cont'd. on page 5)



Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 25, 2018

Revision: October 25, 2018

Trade name: New Car

(Cont'd. of page 4)

For large spills, evacuate area and contact authorities to perform cleanup.

· **Environmental precautions**

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· **Methods and material for containment and cleaning up**

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Send for recovery or disposal in suitable receptacles.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Handling**

· **Precautions for safe handling:**

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· **Information about protection against explosions and fires:**

Combustible liquid.

Keep away from sparks and open flames. - No smoking.

· **Conditions for safe storage, including any incompatibilities**

· **Requirements to be met by storerooms and receptacles:**

Avoid storage near extreme heat, ignition sources or open flame.

· **Information about storage in one common storage facility:** Store away from foodstuffs.

· **Further information about storage conditions:**

Avoid contact with air / oxygen.(formation of peroxide).

Keep containers tightly sealed.

· **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

140-11-4 Benzyl acetate

TLV (USA) Long-term value: 61 mg/m³, 10 ppm

EL (Canada) Long-term value: 10 ppm

EV (Canada) Long-term value: 10 ppm

LMPE (Mexico) Long-term value: 10 ppm
A4

100-51-6 Benzyl alcohol

WEEL (USA) Long-term value: 10 ppm

· **Exposure controls**

(Cont'd. on page 6)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 25, 2018

Revision: October 25, 2018

Trade name: New Car

(Cont'd. of page 5)

· **General protective and hygienic measures:**

- The usual precautionary measures for handling chemicals should be followed.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.
- Avoid contact with the eyes and skin.

· **Engineering controls:** Provide adequate ventilation.

· **Breathing equipment:**

- Not required under normal conditions of use.
- Use suitable respiratory protective device when high concentrations are present.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

- Nitrile rubber, NBR
- Neoprene gloves
- Butyl rubber, BR
- Natural rubber, NR

· **Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· **Body protection:** Protective work clothing

· **Limitation and supervision of exposure into the environment**

No relevant information available.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **Appearance:**

- Form:** Liquid
- Color:** According to product specification

· **Odor:** Pleasant

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Melting point/Melting range:** Not determined.

· **Boiling point/Boiling range:** Not determined.

· **Flash point:** 51.6 °C (124.9 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Auto-ignition temperature:** Not determined.

(Cont'd. on page 7)

**Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 25, 2018

Revision: October 25, 2018

Trade name: New Car

(Cont'd. of page 6)

· Decomposition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits Lower: Upper:	Not determined. Not determined.
· Oxidizing properties:	Not determined.
· Vapor pressure at 26 °C (78.8 °F):	1 hPa (0.8 mm Hg)
· Density at 20 °C (68 °F):	0.84-0.86 g/cm ³ (7.01-7.18 lbs/gal)
· Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity Dynamic: Kinematic:	Not determined. Not determined.
· Other information	No relevant information available.

10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Flammable liquid and vapor.
Reacts with strong oxidizing agents.
Toxic fumes may be released if heated above the decomposition point.
- **Conditions to avoid** Keep ignition sources away - Do not smoke.
- **Incompatible materials** Oxidizing agents
- **Hazardous decomposition products**
Under fire conditions only:
Carbon monoxide and carbon dioxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**· **ATE (Acute Toxicity Estimate)**

(Cont'd. on page 8)

**Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 25, 2018

Revision: October 25, 2018

Trade name: New Car

(Cont'd. of page 7)

Oral LD50 >5,000 mg/kg (nsp)

68551-20-2 Alkanes, C13-16-iso-

Oral LD50 >10,000 mg/kg (rat)

101-86-0 alpha-Hexylcinnamaldehyde

Oral LD50 3,100 mg/kg (rat)

1506-02-1 1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)

Oral LD50 920 mg/kg (rat)

80-54-6 p-t-Butyl-alpha-methylhydrocinnamic aldehyde

Oral LD50 1,390 mg/kg (rat)

32210-23-4 4-tert-butylcyclohexyl acetate

Oral LD50 5,000 mg/kg (rat)

88-41-5 2-tert-butylcyclohexyl acetate

Oral LD50 4,600 mg/kg (rat)

5989-27-5 (R)-p-mentha-1,8-diene

Oral LD50 >2,000 mg/kg (rat, female)

91-64-5 Coumarin

Oral LD50 293 mg/kg (rat)

Dermal LD50 293 mg/kg (rat)

127-51-5 alpha-iso-Methylionone

Oral LD50 >5,000 mg/kg (rat)

100-51-6 Benzyl alcohol

Oral LD50 1,230 mg/kg (rat)

Dermal LD50 2,000 mg/kg (rabbit)

Primary irritant effect:

- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

- Ingestion.
- Inhalation.
- Eye contact.
- Skin contact.

· **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.· **Carcinogenicity:** Based on available data, the classification criteria are not met.· **Reproductive toxicity:** May damage fertility or the unborn child.· **STOT-single exposure:** Based on available data, the classification criteria are not met.

(Cont'd. on page 9)

**Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 25, 2018

Revision: October 25, 2018

Trade name: New Car

(Cont'd. of page 8)

- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** May be fatal if swallowed and enters airways.

12 Ecological information**Toxicity****Aquatic toxicity****101-86-0 alpha-Hexylcinnamaldehyde**

LC50 0.621 mg/l (daphnia) (48-hour ECOSAR estimation)

32210-23-4 4-tert-butylcyclohexyl acetate

LC50 8.6 mg/l (Cyp)

5989-27-5 (R)-p-mentha-1,8-diene

LC50 <1 mg/l (pimephales promelas)

EC50 0.307 mg/l (daphnia)

127-51-5 alpha-iso-Methylionone

EC50 (static) 1.45 mg/l (daphnia)

100-51-6 Benzyl alcohol

LC50 460 mg/l (pimephales promelas)

· **Persistence and degradability** No relevant information available.· **Bioaccumulative potential:** No relevant information available.· **Mobility in soil:** No relevant information available.**Ecotoxicological effects:**· **Remark:** Harmful to aquatic life.**Additional ecological information****General notes:**

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Results of PBT and vPvB assessment· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No relevant information available.**13 Disposal considerations****Waste treatment methods****Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings· **Recommendation:** Disposal must be made according to official regulations.

(Cont'd. on page 10)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 25, 2018

Revision: October 25, 2018

Trade name: New Car

(Cont'd. of page 9)

14 Transport information

· **UN-Number**

· DOT Not regulated.
· ADR, IMDG, IATA UN1169

· **UN proper shipping name**

· DOT Not regulated.
· ADR, IMDG, IATA EXTRACTS, AROMATIC, LIQUID

· **Transport hazard class(es)**

· DOT
· Class Not regulated.

· **ADR**



· Class 3 (F1)
· Label 3

· **IMDG, IATA**



· Class 3
· Label 3

· **Packing group**

· DOT Not regulated.
· ADR, IMDG, IATA III

· **Environmental hazards**

Product contains environmentally hazardous substances: alpha-Hexylcinnamaldehyde, 1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)

· **Marine pollutant:**



Yes

· **Special precautions for user**

Warning: Flammable liquids

· **Danger code (Kemler):**

30

· **EMS Number:**

F-E,S-D

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· DOT

(Cont'd. on page 11)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 25, 2018

Revision: October 25, 2018

Trade name: New Car

(Cont'd. of page 10)

Remarks:

Transport labeling is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid.

ADR



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marine pollutants. (See 5.2.1.8.1)

IMDG



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marine pollutants. (See 2.10.2.7)

IATA



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each / 10 L net.

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

(Cont'd. on page 12)



Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 25, 2018

Revision: October 25, 2018

Trade name: New Car

(Cont'd. of page 11)

Proposition 65 (California)**Chemicals known to cause cancer:**

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

EPA (Environmental Protection Agency):

None of the ingredients are listed.

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Flam. Liq. 3: Flammable liquids – Category 3

Flam. Liq. 4: Flammable liquids – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Skin Sens. 1B: Skin sensitisation – Category 1B

Repr. 1A: Reproductive toxicity – Category 1A

Asp. Tox. 1: Aspiration hazard – Category 1

SourcesWebsite, European Chemicals Agency (echa.europa.eu)Website, US EPA Substance Registry Services (ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do)Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

(Cont'd. on page 13)



Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 25, 2018

Revision: October 25, 2018

Trade name: New Car

(Cont'd. of page 12)

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com