frsh scents.

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 03, 2018

Revision: July 03, 2018

1 Identification

- · Product identifier
- · Trade name: Coral
- · Recommended use and restriction on use
- Recommended use: Air freshener.
- **Restrictions on use:** No relevant information available.

 Details of the supplier of the Safety Data Sheet
 Manufacturer/Supplier: FRSH Scents Limited
 3029 SW 42nd Avenue Palm City, Florida 34990.

· Emergency telephone number:

ChemTel Inc.

- (800) 255-3924 (North America)
- (801) 1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. • Additional information: Adverse health effects are not reasonably expected from normal use of product. Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms: GHS07 · Signal word: Warning · Hazard statements: H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. · Precautionary statements: P264 Wash thoroughly after handling. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves and eve protection. If on skin: Wash with plenty of water. P302+P352 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. P333+P313 P337+P313 If eye irritation persists: Get medical advice/attention. P363 Wash contaminated clothing before reuse. (Cont'd. on page 2)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 03, 2018

Revision: July 03, 2018

Trade name: Coral

P501

(Cont'd. of page 1) Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

	haracterization: Mixtures	
Componen	ts:	
140-11-4	Benzyl acetate	<30
142-92-7	Hexyl acetate	<20
	Phenethyl alcohol Acute Tox. 4, H302; Eye Irrit. 2A, H319	<10
78-70-6	Linalool Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1B, H317 Flam. Liq. 4, H227	<10
540-18-1	Amyl Butyrate Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 Flam. Liq. 4, H227	<10
628-63-7	Pentyl acetate	<10
67634-00-8	allyl (3-methylbutoxy)acetate	<10
101-84-8	Diphenyl ether	<10
108-64-5	Ethyl isovalerate Flam. Liq. 3, H226 Skin Irrit. 2, H315	<10
123-11-5	p-Methoxybenzaldehyde	<10
67801-65-4	3,6-Dimethyl-3-cyclohexene-1-carboxaldehyde Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Flam. Liq. 4, H227	<5
103-95-7	2-Methyl-3-(p-isopropylphenyl)propionaldehyde Skin Irrit. 2, H315; Skin Sens. 1, H317 Flam. Liq. 4, H227	<5
68039-49-6	2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317 Flam. Liq. 4, H227	<5
	Eugenol	<5
121-33-5	Vanillin	<5

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 03, 2018

Revision: July 03, 2018

Trade name: Coral

(Cont'd. of page 2)

For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[.] Description of first aid measures

• General information:

Information is only applicable to product contents, and not to product as normally supplied. This information is applicable to damaged, leaking, or spilled product as contact with contents is possible under these conditions.

Adverse health effects are not reasonably expected from normal use of product.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

If exposed to product contents:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Remove contact lenses if worn.

If exposed to product contents:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

If exposed to product contents:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

• Most important symptoms and effects, both acute and delayed: Headache

Causes eye irritation.

• Danger: May cause sensitisation by skin contact.

Indication of any immediate medical attention and special treatment needed:

If necessary oxygen respiration treatment.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Fire-fighting measures

- [·] Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information: Cool endangered receptacles with water spray.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 03, 2018

Revision: July 03, 2018

Trade name: Coral

(Cont'd. of page 3)

Wear protective equipment. Keep unprotected persons away. For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

Particular danger of slipping on leaked/spilled product.

Environmental precautions

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Use only in well ventilated areas.

Keep out of reach of children.

· Information about protection against explosions and fires: No special measures required.

[•] Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

- Avoid storage near extreme heat, ignition sources or open flame.
- · Information about storage in one common storage facility:
- Store away from foodstuffs.
- Store away from oxidizing agents.
- Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

· Components with limit values that require monitoring at the workplace:				
140-11-4 Benzyl acetate				
TLV (USA)	Long-term value: 61 mg/m ³ , 10 ppm			
EL (Canada)	Long-term value: 10 ppm			
EV (Canada)	Long-term value: 10 ppm			
LMPE (Mexico)	Long-term value: 10 ppm			
	A4			
142-92-7 Hexyl acetate				
	(Cont'd. on page 5)			

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 03, 2018

Revision: July 03, 2018

Trade name: Coral

628-63-7 Pentyl PEL (USA) REL (USA) TLV (USA)	Long-term value: 294 mg/m³, 50 ppmacetateLong-term value: 525 mg/m³, 100 ppmLong-term value: 525 mg/m³, 100 ppmShort-term value: 532 mg/m³, 100 ppmLong-term value: 266 mg/m³, 50 ppmShort-term value: 100 ppmLong-term value: 50 ppmShort-term value: 50 ppmLong-term value: 50 ppmLong-term value: 50 ppmLong-term value: 50 ppm
PEL (USA) REL (USA) TLV (USA)	Long-term value: 525 mg/m ³ , 100 ppm Long-term value: 525 mg/m ³ , 100 ppm Short-term value: 532 mg/m ³ , 100 ppm Long-term value: 266 mg/m ³ , 50 ppm Short-term value: 100 ppm Long-term value: 50 ppm Short-term value: 100 ppm
REL (USA) TLV (USA)	Long-term value: 525 mg/m ³ , 100 ppm Short-term value: 532 mg/m ³ , 100 ppm Long-term value: 266 mg/m ³ , 50 ppm Short-term value: 100 ppm Long-term value: 50 ppm Short-term value: 100 ppm
TLV (USA)	Short-term value: 532 mg/m ³ , 100 ppm Long-term value: 266 mg/m ³ , 50 ppm Short-term value: 100 ppm Long-term value: 50 ppm Short-term value: 100 ppm
	Long-term value: 266 mg/m ³ , 50 ppm Short-term value: 100 ppm Long-term value: 50 ppm Short-term value: 100 ppm
EL (Canada)	Long-term value: 50 ppm Short-term value: 100 ppm
	Short-term value: 100 ppm Long-term value: 50 ppm
101-84-8 Diphen	nyl ether
PEL (USA)	Long-term value: 7 mg/m ³ , 1 ppm
REL (USA)	Long-term value: 7 mg/m ³ , 1 ppm
	Short-term value: 14 mg/m ³ , 2 ppm Long-term value: 7 mg/m ³ , 1 ppm vapor fraction
	Short-term value: 2 ppm Long-term value: 1 ppm
	Short-term value: 14 mg/m ³ , 2 ppm Long-term value: 7 mg/m ³ , 1 ppm
	Short-term value: 2 ppm Long-term value: 1 ppm
121-33-5 Vanillir	n
WEEL (USA)	Long-term value: 10 mg/m ³
The usual precau Information is op information is ap these conditions. Keep away from Avoid contact wit • Engineering cor • Breathing equip Not required und Use suitable resp For large spills, re • Protection of ha Not required und Wear protective g • Eye protection: Not required for r	ive and hygienic measures: utionary measures for handling chemicals should be followed. only applicable to product contents, and not to product as normally supplied. This plicable to damaged, leaking, or spilled product as contact with contents is possible under foodstuffs, beverages and feed. th the eyes and skin. ntrols: No relevant information available. oment: ler normal conditions of use. biratory protective device in case of insufficient ventilation. espiratory protection may be advisable. ands: ler normal conditions of use. gloves to handle contents of damaged or leaking units. hormal handling. Wear protective eyewear while handling damaged or leaking product. the required for spills.

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 03, 2018

Revision: July 03, 2018

Trade name: Coral

(Cont'd. of page 5)

Not required under normal conditions of use. Protection may be required for spills.

· Limitation and supervision of exposure into the environment No relevant information available.

· Risk management measures No relevant information available.

9 Physical and chemical properties				
· Information on basic physical and chemical properties				
· Appearance:				
Form: Color:	Liquid on inert carrier material Not determined.			
· Odor:	Pleasant			
· Odor threshold:	Not determined.			
· pH-value:	Not determined.	—		
· Melting point/Melting range:	Not determined.			
Boiling point/Boiling range:	Not determined.			
Flash point:	>94 °C (>201.2 °F)			
· Flammability (solid, gaseous):	Not applicable.			
· Auto-ignition temperature:	Not determined.			
· Decomposition temperature:	Not determined.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
· Oxidizing properties:	Non-oxidizing.			
· Vapor pressure:	Not applicable.			
· Density:	Not determined.			
 Relative density: 	Not determined.			
· Vapor density:	Not determined.			
· Evaporation rate:	Not determined.			
 Solubility in / Miscibility with 				
Water:	Not miscible or difficult to mix.			
· Partition coefficient (n-octanol/wate	· Partition coefficient (n-octanol/water): Not determined.			
· Viscosity				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
· Other information	No relevant information available.			

10 Stability and reactivity

(Cont'd. on page 7)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 03, 2018

Revision: July 03, 2018

Trade name: Coral

(Cont'd. of page 6)

- **Reactivity:** No relevant information available. • **Chemical stability:**
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- **Possibility of hazardous reactions** Toxic fumes may be released if heated above the decomposition point. Reacts with strong acids and oxidizing agents.
- **Conditions to avoid** Store away from oxidizing agents. Excessive heat.
- · Incompatible materials No relevant information available.
- Hazardous decomposition products Carbon monoxide and carbon dioxide

Hydrocarbons

11 Toxicological information

- [.] Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- On the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · IARC (International Agency for Research on Cancer):
- None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

- Ingestion.
- Inhalation.
- Eye contact.
- Skin contact.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

(Cont'd. on page 8)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 03, 2018

Revision: July 03, 2018

Trade name: Coral

(Cont'd. of page 7)

Aquatic toxicity

Toxic to aquatic life with long lasting effects.

80-26-2 alpha-Terpineol acetate

LC50 >11 mg/l (pimephales promelas)

· Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

· Mobility in soil: No relevant information available.

[•] Additional ecological information

· General notes:

Avoid release to the environment.

Do not allow product to reach ground water, water course or sewage system.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

[•] Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

· Other adverse effects No relevant information available.

13 Disposal considerations

[.] Waste treatment methods

· Recommendation:

Smaller quantities can be disposed of with household waste.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packagings

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
[·] UN-Number [·] DOT, ADR, IMDG, IATA	Not regulated.	
 UN proper shipping name DOT, ADR, IMDG, IATA 	Not regulated.	
[·] Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
[·] Packing group [·] DOT, ADR, IMDG, IATA	Not regulated.	

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 03, 2018

Revision: July 03, 2018

Trade name: Coral

	(Cont'd. of page 8)
 Environmental hazards Marine pollutant: 	Yes
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex I MARPOL73/78 and the IBC Code 	l of Not applicable.
• Transport/Additional information:	Not regulated when carried in single or combination packaging containing a net quantity of 5 L or less for liquids or 5 kg or less for solids per the following: DOT: 171.4(c)(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197

15 Regulatory information

[•] Safety, health and environmental regulations/legislation specific f	or the substance or
mixture	
· United States (USA)	

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

Contact manufacturer.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

(Cont'd. on page 10)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 03, 2018

Revision: July 03, 2018

Trade name: Coral

(Cont'd. of page 9)

· Canadian Domestic Substances List (DSL) (Substances not listed.):

Contact manufacturer.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Flam. Liq. 3: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids – Category 4 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com